

## References

- Aguilar, A. and R. García-Vernet. 2018. Fin whale *Balaenoptera physalus*. p. 368-371 In: B. Würsig, J.G.M. Thewissen, and K.M. Kovacs (eds.) Encyclopedia of Marine Mammals, 3rd ed. Academic Press/Elsevier, San Diego, CA. 1157 p.
- Allen, A.N., J.J. Schanze, A.R. Solow, and P.L. Tyack. 2014. Analysis of a Blainville's beaked whale's movement response to playback of killer whale vocalizations. *Marine Mammal Science* 30 (1):154-168.
- André, M., M. Solé, M. Lenoir, M. Durfort, C. Quero, A. Mas, et al. 2011. Low-frequency sounds induce acoustic trauma in cephalopods. *Frontiers in Ecology and the Environment* 9 (9):489-493.
- ANSI (American National Standards Institute). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI. 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY
- ANSI. 2005. Measurement of sound pressure levels in air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- ANSI. 2013. Acoustic Terminology (ANSI S1.1-2013). New York: Acoustical Society of America.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service: 60.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Baines, M.E. and M. Reichelt. 2014. Upwellings, canyons and whales: an important winter habitat for balaenopterid whales off Mauritania, northwest Africa. *J. Cetacean Res. Manage.* 14:57-67.
- Barendse, J., S.H. Elwen, P.B. Best, and R. Leeney. 2010a. A preliminary comparison of humpback whale tail fluke images from west South Africa and Namibia. Report SC?63/SH21 presented to the International Whaling Commission.
- Barendse J., P. Best, M. Thornton, C. Pomilla, I. Carvalho, and H.C. Rosenbaum. 2010b. Migration redefined? Seasonality, movements, and group composition of humpback whales *Megaptera novaeangliae* off the west coast of South Africa. *African J. Mar. Sci.* 32(1):1-22.
- Barber, JR, Crooks, K.R., Fristrup, K.M. 2010. The costs of chronic noise exposure for terrestrial organisms. *Trends Ecol Evol.* 2010 Mar;25(3):180-9.
- Barkaszi, M.J., M. Butler, R. Compton, A. Unietis, and B. Bennet. 2012. Seismic survey mitigation measures and marine mammal observer reports. U.S. Dept. of the Interior, Bureau of Ocean Energy Management, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study BOEM 2012-015. 28 pp + apps.

- Barkaszi, M.J. and Kelly, C.J., 2018. Seismic survey mitigation measures and protected species observer reports: synthesis report. US Dept. of the Interior, Bureau of Ocean Energy Management, Gulf of Mexico OCS Region, New Orleans, LA. *Contract*, (M17PD00004), pp.2019-012.
- Best, P.B. 1982. Whales: Why do they strand? *African Wildlife* 36 (3):96-99.
- Beauchamp, Guy & Livoreil, Barbara. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctata*). *Canadian Journal of Zoology*. 75. 1526-1531.
- Bejder L, Samuels A, Whitehead H, Gales N, Mann J, Connor R, Heithaus M, Watson-Capps J, Flaherty C, Krützen M. 2006. Decline in relative abundance of bottlenose dolphins exposed to long-term disturbance. *Conserv Biol*. 20(6):1791-8.
- Bejder, L., A. Samuels, H. Whitehead, H. Finn, S. Allen. 2009. Impact assessment research: Use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli *Marine Ecology Progress Series*, 395 (2009), pp. 177-185.
- Best, P.B. 1998. Blue whales off Namibia – a possible wintering ground for the Antarctic population. Document SC/50/CAWS14 submitted to the IWC Scientific Committee.
- Best, P.B. 2007. Whales and dolphins of the southern African subregion. Cambridge University Press, Cape Town, South Africa. 338 p.
- Best, P.B. and C.H. Lockyer. 2002. Reproduction, growth and migrations of sei whales *Balaenoptera borealis* off the west coast of South Africa. *S. Afr. J. Mar. Sci.* 24(1):111-133.
- Best, P.B., D. Reeb, M. Morais, and A. Baird. 1999. A preliminary investigation of humpback whales off northern Angola. Report SC/51/CAWS33 presented to the International Whaling Commission.
- Best, P.B., J.P. Glass, P.G. Ryan, and M.L. Dalebout. 2009. Cetacean records from Tristan da Cunha, South Atlantic. *J. Mar. Biol. Ass. U.K.* 89(5):1023-1032.
- Bester M.N. and P.G. Ryan. 2007. Mammals. p. 98-109 In: P.G. Ryan (ed.) *Field guide to the animals and plants of Tristan da Cunha and Gough Island*. Newbury: Pisces Publications for the Tristan Island Government.
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, D.K. Mattila, R.M. Pace, III, P.E. Rosel, G.K. Silber, and P.R. Wade. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Tech. Memo. NMFS-SWFSC-540. Nat. Mar. Fish. Service, Southwest Fish. Sci. Center, La Jolla, CA. 240 p.
- Blackwell, S.B., C.S. Nations, T.L. McDonald, C.R. Greene, Jr., A.M. Thode, M. Guerra, and A.M. Macrander. 2013. Effects of airgun sounds on bowhead whale calling rates in the Alaskan Beaufort Sea. *Mar. Mamm. Sci.*
- Blackwell, S.B., C.S. Nations, T.L. McDonald, A.M. Thode, D. Mathias, K.H. Kim, C.R. Greene, Jr., and A.M. Macrander. 2015. Effects of airgun sounds on bowhead whale calling rates: Evidence for two behavioral thresholds. *PLoS ONE* 10(6):e0125720.
- Blaxter, J.H.S., J.A.B. Gray, and E.J. Denton. 1981. Sound and startle responses in herring shoals. *Journal of the Marine Biological Association of the United Kingdom* 61: 851-870.

- Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Boeger, W.A., M.R. Pie, A. Ostrensky, and M.F. Cardoso. 2006. The effect of exposure to seismic prospecting on coral reef fishes. *Brazilian Journal of Oceanography* 54:235-239.
- Bolle, L.J., C.A. de Jong, S.M. Bierman, P.J. van Beek, O.A. van Keeken, P.W. Wessels, et al. 2012. Common sole larvae survive high levels of pile-driving sound in controlled exposure experiments. *PLoS ONE* 7 (3):e33052.
- Booman, C., J. Dalen, H. Leivestad, A. Levsen, T. van der Meeren, and K. Toklum. 1996. Effects of airgun shooting on eggs, larvae, and fry. Norwegian Institute of Marine Research. *Fiskeri og Havet Nr. 3.* (Norwegian with English summary.)
- Bowles, A.E., M. Smultea, B. Wursig, D.P. DeMaster, and D. Palka. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island feasibility test. *Journal of the Acoustical Society of America* 96 (4):2469-2484.
- Bradshaw, C.J.A., S. Boutin, and D.M. Hebert. 1998. Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology* 76 (7):1319-1324.
- Branch, T.A., K.M. Stafford, D.M. Palacios, C. Allison, J.L. Bannister, C.L.K. Burton, E. Cabrera, C.A. Carlson, B. Galletti Vernazzani, P.C. Gill, R. Hucke-Gaete, K.C.S. Jenner, M.-N.M. Jenner, K. Matsuoka, Y.A. Mikhalev, T. Miyashita, M.G. Morrice, S. Nishiwaki, V.J. Sturrock, D. Tormosov, R.C. Anderson, A.N. Baker, P.B. Best, P. Borsa, R.L. Brownell Jr, S. Childerhouse, K.P. Findlay, T. Gerrodette, A.D. Ilangakoon, M. Joergensen, B. Kahn, D.K. Ljungblad, B. Maughan, R.D. McCauley, S. Mckay, T.F. Norris, Oman Whale and Dolphin Research Group, S. Rankin, F. Samaran, D. Thiele, K. Van Waerebeek and R.M. Warneke. 2007a. Past and present distribution, densities, and movements of blue whales *Balaenoptera musculus* in the Southern Hemisphere and northern Indian Ocean. *Mamm. Rev.* 37(2):116-175.
- Branch, T.A., C. Allison, Y.A. Mikhalev, D. Tormosov, and R.L. Brownell Jr. 2008. Historical catch series for Antarctic and pygmy blue whales. Report (SC/60/SH9) presented to the Scientific Committee of the International Whaling Commission.
- Branch, T.A. 2011. Humpback whale abundance south of 60°S from three complete circumpolar sets of surveys. *J. Cetacean Res. Manage.* 3:53-69.
- Branstetter, B.K., J.S. Trickey, H. Aihara, J.J. Finneran, and T.R. Liberman. 2013. Time and frequency metrics related to auditory masking of a 10 kHz tone in bottlenose dolphins (*Tursiops truncatus*). *J. Acoust. Soc. Am.* 134(6):4556-4565.
- Branstetter, B.K., K.L. Bakhtiari, J.S. Trickey, and J.J. Finneran. 2016. Hearing mechanisms and noise metrics related to auditory masking in bottlenose dolphins (*Tursiops truncatus*). p. 109-116 In: A.N. Popper and A. Hawkins (eds.), *The effects of noise on aquatic life II*. Springer, New York, NY. 1292 p.

Breitzke, M., O. Boebel, S. El Naggar, W. Jokat, and B. Werner. 2008. Broad-band calibration of marine seismic sources used by R/V Polarstern for academic research in polar regions. *Geophysical Journal International* 174 (2):505-524.

Bröker, K., J. Durinck, C. Vanman, and B. Martin. 2013. Monitoring of marine mammals and the sound scape during a seismic survey in two license blocks in the Baffin Bay, West Greenland, in 2012. p. 32 In: Abstr. 20th Bienn. Conf. Biol. Mar. Mamm., 9–13 December 2013, Dunedin, New Zealand. 233 p.

Brownell, Jr., R.L., B.G. Vernazzani, A. Devos, P.A. Olson, K.P. Findlay, J.L. Bannister, and A. Lang. 2016. Assessment of pygmy type blue whales in the Southern Hemisphere. Paper SC/66a/SH/21 presented to the International Whaling Commission.

Burton, C. and K. Camphuysen. 2003. Chinguetti Development Project. Seabird and cetacean surveys in the vicinity of the Chinguetti Oil Filed, offshore Mauritania. March 2003. Report by Bowman Bishaw Gorham, Subiaco, Western Australia, for Woodside Energy Ltd., Perth, Western Australia.

Caldwell J and Dragoset W 2000 A brief overview of seismic airgun arrays *Leading Edge* 19 898–902

Camphuysen, C.J., T.M. van Spangje, and H. Verdaat. 2012. Ship-based seabird and marine mammal surveys off Mauritania, Nov-Dec 2012. Accessed April 2024 at <https://edepot.wur.nl/249785>

Camphuysen, C.J. 2015. Ship-based seabird and marine mammal surveys off Mauritania, 4-14 September 2015. Accessed April 2024 at <https://edepot.wur.nl/363400>

Camphuysen, C.J., R. van Bemmelen, and T. van Spanje. 2017. Ship-based seabird and marine mammal surveys off Mauritania, 1-12 November 2016. Accessed April 2024 at <https://core.ac.uk/reader/151194430>.

Camphuysen, C.J., T.A. W. Schreurs, and A.S. Bilal. 2022. Ship-based seabird and marine mammal surveys off Mauritania, 17 February – 1 March 2022. Accessed April 2024 at [https://www.researchgate.net/profile/Cornelis-Camphuysen/publication/362482164\\_Ship-based\\_seabird\\_and\\_marine\\_mammal\\_surveys\\_off\\_Mauritania\\_17\\_February\\_-1\\_March\\_2022/links/62ec1d5c88b83e7320ab6848/Ship-based-seabird-and-marine-mammal-surveys-off-Mauritania-17-February-1-March-2022.pdf](https://www.researchgate.net/profile/Cornelis-Camphuysen/publication/362482164_Ship-based_seabird_and_marine_mammal_surveys_off_Mauritania_17_February_-1_March_2022/links/62ec1d5c88b83e7320ab6848/Ship-based-seabird-and-marine-mammal-surveys-off-Mauritania-17-February-1-March-2022.pdf)

Carroll, A.G., R. Przeslawski, A. Duncan, M. Gunning, and B. Bruce. 2017. A critical review of the potential impacts of marine seismic surveys on fish and invertebrates. *Marine Pollution Bulletin* 114: 9-24.

Carvalho, I., C. Brito, M.E. dos Santos, and H.C. Rosenbaum. 2011. The waters of São Tomé: a calving ground for West African humpback whales? *African J. Mar. Sci.* 33(1):91-97.

Castellote, M., C.W. Clark, and M.O. Lammers. 2012. Acoustic and behavioural changes by fin whales (*Balaenoptera physalus*) in response to shipping and airgun noise. *Biol. Conserv.* 147(1):115-122.

Castellote, M. and C. Llorens. 2016. Review of the effects of offshore seismic surveys in cetaceans: Are mass strandings a possibility? p. 133-143 In: A.N. Popper and A. Hawkins (eds.), *The effects of noise on aquatic life II*. Springer, New York, NY. 1292 p.

- Cerchio, S., T. Collins, S. Mashburn, C. Clark, and H. Rosenbaum. 2010. Acoustic evidence of blue whales and other baleen whale vocalizations off northern Angola. Paper SC/62/SH13 presented to the International Whaling Commission.
- Cerchio, S., S. Strindberg, T. Collins, C. Bennett, and H. Rosenbaum. 2014. Seismic surveys negatively affect humpback whale singing activity off northern Angola. PLoS ONE 9(3):e86464.
- Chapman, C.J., and A.D. Hawkins. 1969. The importance of sound in fish behaviour in relation to capture by trawls. FAO Fisheries Reports 62 (3):717-729.
- Chavez-Rosales, S., D.L. Palka, L.P. Garrison and E.A. Josephson. 2019. Environmental predictors of habitat suitability and occurrence of cetaceans in the western North Atlantic Ocean. Sci. Rep. 9(1):5833.
- Christensen, I., T. Haug, and N. Øien. 1992. Seasonal distribution, exploitation and present abundance of stocks of large baleen whales (*Mysticeti*) and sperm whales (*Physeter macrocephalus*) in Norwegian and adjacent waters. ICES J. Mar. Sci. 49:341-355.
- Chrousos GP. 2000. The role of stress and the hypothalamic-pituitary-adrenal axis in the pathogenesis of the metabolic syndrome: neuro-endocrine and target tissue-related causes. Int J Obes Relat Metab Disord. 24 Suppl 2:S50
- Clapham, P.J. 2018. Humpback whale *Megaptera novaeangliae*. p. 489-492 In: B. Würsig, J.G.M. Thewissen, and K.M. Kovacs (eds.) Encyclopedia of Marine Mammals, 3<sup>rd</sup> ed. Academic Press/Elsevier, San Diego, CA. 1157 p.
- Clark, C.W., W.T. Ellison, B.L. Southall, L. Hatch, S.M. Van Parijs, A. Frankel, and D. Ponirakis. 2009. Acoustic masking in marine ecosystems: intuitions, analysis, and implication. Mar. Ecol. Prog. Ser. 395:201-222.
- Clark, C.W. and G.C. Gagnon. 2006. Considering the temporal and spatial scales of noise exposures from seismic surveys on baleen whales. Working Pap. SC/58/E9. Int. Whal. Comm., Cambridge, UK. 9 p.
- Clingham, E., L. Henry, and A. Beard. 2013. Monitoring population size of St. Helena cetaceans. EMD Environmental Management Division. Accessed April 2024 at <http://www.sainthelena.gov.sh/wp-content/uploads/2012/08/EMD-Cetaceans-2013.pdf>.
- Clyne, H., R. Leaper, and J. Kennedy. 1999. Computer simulation of interactions between the North Atlantic right whale (*Eubalaena glacialis*) and shipping. European Research on Cetaceans 13:458.
- Conn, P.B., and G.K. Silber. 2013. Vessel speed restrictions reduce risk of collision-related mortality for North Atlantic right whales. Ecosphere 4 (4): Article 43.
- Connor, R.C. and M.R. Heithaus. 1996. Approach by great white shark elicits flight response in bottlenose dolphins. Marine Mammal Science 12 (4):602-606.

- Cook, M.L.H., R. Varela, J. Goldstein, S.D. McCulloch, G.D. Bossart, J.J. Finneran, et al. 2006. Beaked whale auditory evoked potential hearing measurements. *Journal of Comparative Physiology A* 189:489-495.
- Correia, A.M.T. 2020. Distribution and habitat modelling for cetacean species in the eastern North Atlantic. Ph.D. Thesis, University of Porto, Portugal.
- Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, et al. 2006. Understanding the impacts of anthropogenic sound on beaked whales. *Journal of Cetacean Research and Management* 7 (3):177-187.
- Cott, P.A., A.N. Popper, D.A. Mann, J.K. Jorgenson, and B.W. Hanna. 2012. Impacts of riverbased air gun seismic activity on northern fishes. *Advances in Experimental Medicine and Biology* 730:367-369.
- Creel, S.F. (2005) Dominance, aggression and glucocorticoid levels in social carnivores. *Journal of Mammology* 86, 255– 264.
- Croll, D.A., Clark, C.W., Calambokidis, J., Ellison, W.T., and Tershy, B.R. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. *Anim Conserv.* 4:13-27.
- Daan S, Deerenberg C, and Dijkstra C (1996) Increased daily work precipitates natural death in the Kestrel. *J Anim Ecol* 65:539-544.
- D'Amico, A., R.C. Gisiner, D.R. Ketten, J.A. Hammock, C. Johnson, P.L. Tyack, and J. Mead. 2009. Beaked whale strandings and naval exercises. *Aquatic Mammals* 35 (4):452-472.
- Dalen, J., and G.M. Knutsen. 1987. Scaring effects in fish and harmful effects on eggs, larvae and fry by offshore seismic explorations. Pages 93-102 in H. M. Merklinger, ed. *Progress in Underwater Acoustics*. Plenum Press, New York City.
- Darling, J.D. and R.S. Sousa-Lima. 2005. Songs indicate interaction between humpback whales (*Megaptera novaeangliae*) populations in the western and eastern South Atlantic Ocean. *Mar. Mamm. Sci.* 21(3):557-566.
- de Boer, M.N. 2010. Cetacean distribution and relative abundance in offshore Gabonese waters. *J. Mar. Biol. Assoc. U.K.* 90(8):1613-1621.
- DeRuiter, S.L., P.L. Tyack, Y.-T. Lin, A.E. Newhall, J.F. Lynch, and P.J.O. Miller. 2006. Modeling acoustic propagation of airgun array pulses recorded on tagged sperm whales (*Physeter macrocephalus*). *Journal of the Acoustical Society of America* 120 (6):4100- 4114.
- DeVries, T. J., M. A. G. von Keyserlingk, D. M. Weary, and K. A. Beauchemin. 2003. Measuring the feeding behavior of lactating dairy cows in early to peak lactation. *J. Dairy Sci.* 86:3354–3361.
- Diebold, J.B., M. Tolstoy, L. Doermann, S.L. Nooner, S.C. Webb, and T.J. Crone. 2010. R/V Marcus G. Langseth seismic source: modeling and calibration. *Geochem. Geophys. Geosyst.* 11(12):Q12012. doi:10.1029/2010GC003126. 20 p.

- Di Iorio, L. and C.W. Clark. 2010. Exposure to seismic survey alters blue whale acoustic communication. *Biol. Lett.* 6(1):51-54.
- Djiba, A., I.L. Bamy, A. Samba Ould Bilal, and K. Van Waerebeek. 2015. Biodiversity of cetaceans in coastal waters of Northwest Africa: new insights through platform of opportunity visual surveying in 2011-2013. p. 283-297 In: L. Valdés and I. Déniz-González (eds.) Oceanographic and biological features in the Canary Current Large Marine Ecosystem. IOC-UNESCO, Paris. IOC Technical Series, No. 115. Accessed April 2024 at <http://hdl.handle.net/1834/9195>.
- Dragoset, W.H. 1990. Airgun array specs: A tutorial. *Geophysics: The Leading Edge of Exploration.* January: 1-9.
- Dunlop, R.A. 2015. The effect of vessel noise on humpback whale, *Megaptera novaeangliae*, communication behaviour. *Animal Behav.* 111:13-21.
- Dyndo, M., D.M. Wisniewska, L. Rojano-Doñate, and P.T. Madsen. 2015. Harbour porpoises react to low levels of high frequency vessel noise. *Sci. Rep.* 5:11083.
- Eaton, R.L. 1979. Speculations on strandings as burial, suicide, and interspecies communication. *Carnivora* 2: 24.
- Edwards, E.F., C. Hall, T.J. Moore, C. Sheredy, and J.V. Redfern. 2015. Global distribution of fin whales *Balaenoptera physalus* in the post-whaling era (1980–2012). *Mamm. Rev.* 45(4):197-214.
- Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conserv. Biol.* 26(1):21-28.
- Elwen, S.H., N. Tonachella, J. Barendse, T. Collins, P.B. Best, H.C. Rosenbaum, R.H. Leeney, and T. Gridley. 2014. Humpback whales off Namibia: occurrence, seasonality, and a regional comparison of photographic catalogs and scarring. *J. Mamm.* 95(5):1064-1076.
- Engås, A., S. Løkkeborg, E. Ona, and A.V. Soldal. 1996. Effects of seismic shooting on local abundance and catch rates of cod (*Gadus morhua*) and haddock (*Melanogrammus aeglefinus*). *Canadian Journal of Fisheries and Aquatic Sciences* 53:2238-2249.
- Engås, A., and S. Løkkeborg. 2002. Effects of seismic shooting and vessel-generated noise on fish behaviour and catch rates. *Bioacoustics* 12:313-315.
- Engel, M.H. and A.R. Martin. 2009. Feeding grounds of the western South Atlantic humpback whale population. 2009. *Mar. Mamm. Sci.* 25(4):964-969.
- Erbe, C. 2008. Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. *Journal of the Acoustical Society of America* 124 (4):2216-2223.
- Erbe, C., C. Reichmuth, K. Cunningham, K. Lucke, and R. Dooling. 2016. Communication masking in marine mammals: a review and research strategy. *Mar. Poll. Bull.* 103:15-38.
- Evans, D.L. and G.R. England. 2001. Joint interim report: Bahamas marine mammal stranding event of 15-16 March 2000. U.S. Navy and National Marine Fisheries Service: 66.

- Fair, P. & Becker, P. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery*. 7. 335-354.
- Fewtrell, J.L., and R.D. McCauley. 2012. Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin* 64: 984-993.
- Fields, D.M., Handegard, N.O., Dalen, J., Eichner, C., Malde, K., Karlsen, Ø., Skiftesvik, A.B., Durif, C.M. and Brownman, H.I., 2019. Airgun blasts used in marine seismic surveys have limited effects on mortality, and no sublethal effects on behaviour or gene expression, in the copepod *Calanus finmarchicus*. *ICES Journal of Marine Science*, 76(7), pp.2033- 2044.
- Figueiredo, I. and C.R. Weir. 2014. Blue whales *Balaenoptera musculus* off Angola: recent sightings and evaluation of whaling data. *Afr. J. Mar. Sci.* 36(2):269-278.
- Finneran, J.J., D.S. Houser, B. Mase-Guthrie, R.Y. Ewing, and R.G. Lingenfelser. 2009. Auditory evoked potentials in a stranded Gervais' beaked whale (*Mesoplodon europaeus*). *Journal of the Acoustical Society of America* 126 (1):484-490.
- Finneran, J.J. and A.K. Jenkins. 2012. Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.
- Finneran, J.J. and B.K. Branstetter. 2013. Effects of noise on sound perception in marine mammals. p. 273-308 In: H. Brumm (ed.), *Animal communication and noise*. Springer Berlin, Heidelberg, Germany. 453 p.
- Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal Of the Acoustical Society of America* 138 (3) 1702.
- Foley, J.A., Cole, M.T. 2001. Regime shifts in ecosystems and lakes in the Sahel: a review. Presented at the American Geophysical Union, Fall Meeting 2001.
- Foote, A.D., R.W. Osborne, A.R. Hoelzel. 2004. Environment: whale-call response to masking boat noise *Nature*, 428: 910–910.
- Ford, J.K.B. and R.R. Reeves. 2008. Fight or flight: Antipredator strategies of baleen whales. *Mammal Review* 38 (1):50-86.
- Forney, K.A., B.L. Southall, E. Slooten, S. Dawson, A.J. Read, R.W. Baird, and R.L. Brownell, Jr. 2017. Nowhere to go: noise impact assessments for marine mammal populations with high site fidelity. *Endang. Species Res.* 32:391-413.
- Francis, C & Barber, J. (2013). A framework for understanding noise impacts on wildlife: An urgent conservation priority. *Frontiers in Ecology and the Environment*. 11. 10.1890/120183.
- Frankel, A.S. and C.W. Clark. 2000. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *Journal of the Acoustical Society of America* 108 (4):1930-1937.
- Frantzis, A. 1998. Does acoustic testing strand whales? *Nature* 392 (6671):29.

- Frantzis, A., J.C. Goold, E.K. Skarsoulis, M.I. Taroudakis, and V. Kandia. 2002. Clicks from Cuvier's beaked whales, *Ziphius cavirostris* (L). *Journal of the Acoustical Society of America* 112 (1):34-37.
- Frid, A., and L.M. Dill. 2002. Human-caused disturbance stimuli as a form of predation risk. *Conservation Ecology* 6 (1):11
- Fristrup, K.M., Hatch, L.T. & Clark, C.W. 2003. Variation in humpback whale (*Megaptera novaengliae*) song length in relation to low-frequency sound broadcasts. *Journal of the Acoustical Society of America*, 113, 3411–3424.
- Fritz, H., M. Guillemain, and D. Durant. 2002. The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): An approach through foraging experiments. *Ethology, Ecology and Evolution* 14 (2):91-97.
- Gailey, G., B. Würsig, and T.L. McDonald. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, northeast Sakhalin Island, Russia. *Environ. Monit. Assess.* 134(1-3):75-91.
- Gailey, G., O. Sychenko, T. McDonald, R. Racca, A. Rutenko, and K. Bröker. 2016. Behavioural responses of western gray whales to a 4-D seismic survey off northeastern Sakhalin Island, Russia. *Endang. Species Res.* 30:53-71.
- Gambell, R. 1985. Fin whale *Balaenoptera physalus* (Linnaeus, 1758). p. 171-192 In: S.H. Ridgway and R. Harrison (eds.) *Handbook of marine mammals*, Vol. 3: The sirenians and baleen whales. Academic Press, London, UK. 362 p.
- Gedamke, J. 2011. Ocean basin scale loss of whale communication space: potential impacts of a distant seismic survey. p. 105-106 In: *Abstr. 19th Bienn. Conf. Biol. Mar. Mamm.*, 27 Nov.–2 Dec. 2011, Tampa, FL. 344 p.
- Gende, S., N. Hendrix, K. Harris, B. Eichenlaub, J. Nelson, and S. Pyare. 2011. A Bayesian approach for understanding the role of ship speed in whale-ship encounters. *Ecological Applications* 21: 2233– 2240.
- Geraci, J.R., Testaverde, S.A., Staubin, D.S., and Loop, T.H., 1976, A mass stranding of the Atlantic white sided dolphin (*Lagenorhynchus acutus*): A study into pathobiology and life history, U.S. Marine Mammal Commission, Report Number MMC 75/12, Washington, D.C., PB-289, 361.
- Geraci, J.R., J. Harwood, and V.J. Lounsbury. 1999. Marine mammal die-offs: Causes, investigations, and issues. Pages 367-395 in J. Twiss and R. Reeves, eds. *Conservation and Management of Marine Mammals*. Smithsonian Institution Press, Washington, DC.
- Geraci, J. R., & Lounsbury, V. J. (Eds.). 2005. *Marine mammals ashore: A field guide for strandings* (2nd ed.). College Station: Texas A&M University Sea Grant College Program.
- Gervaise, C., N. Roy, Y. Simard, B. Kinda, and N. Menard. 2012. Shipping noise in whale habitat: characteristics, sources, budget, and impact on belugas in Saguenay-St. Lawrence Marine Park hub. *J. Acoust. Soc. Am.* 132(1):76-89.

- Goldbogen, J.A., J. Calambokidis, A.S. Friedlaender, J. Francis, S.L. Deruiter, A.K. Stimpert, et al. 2013a. Underwater acrobatics by the world's largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. *Biology Letters* 9 (1):Article 20120986.
- Goldbogen, J.A., A.S. Friedlaender, J. Calambokidis, M.F. McKenna, M. Simon, and D.P. Nowacek. 2013b. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience* 63 (2):90-100.
- Goold 1996. Acoustic Assessment Of Populations Of Common Dolphin *Delphinus Delphis* In Conjunction With Seismic Surveying. *J. mar. biol. Ass. U.K.* (1996), 76, 811-820.
- Gordon, J., D. Gillespie, J. Potter, A. Frantzis, M.P. Simmonds, R. Swift, and D. Thompson. 2004. A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal* 37 (4):16-34.
- Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. 2009. Overview of the impacts of anthropogenic underwater sound in the marine environment. *OSPAR Commission*: 134.
- Gregr, E.J. and A.W. Trites. 2001. Predictions of critical habitat of five whale species in the waters of coastal British Columbia. *Can. J. Fish. Aquat. Sci.* 58(7):1265-1285.
- Guan, S., J.F. Vignola, J.A. Judge, D. Turo, and T.J. Ryan. 2015. Inter-pulse noise field during an arctic shallow-water seismic survey. *J. Acoust. Soc. Am.* 137(4):2212.
- Guerra, M., A.M. Thode, S.B. Blackwell, and M. Macrander. 2011. Quantifying seismic survey reverberation off the Alaskan North Slope. *J. Acoust. Soc. Am.* 130(5):3046-3058.
- Guerra, M., P.J. Dugan, D.W. Ponirakis, M. Popescu, Y. Shiu, and C.W. Clark. 2016. High-resolution analysis of seismic airgun impulses and their reverberant field as contributors to an acoustic environment. p. 371-379 In: A.N. Popper and A. Hawkins (eds.), *The effects of noise on aquatic life II*. Springer, New York, NY. 1292 p.
- Hain, J.H.W., W.A.M. Hyman, R.D. Kenney, and H.E. Winn. 1985. The role of cetaceans in the shelf-edge region of the U.S. *Mar. Fish. Rev.* 47(1):13-17.
- Haley, B., and W.R. Koski. 2004. Marine Mammal Monitoring during Lamont-Doherty Earth Observatory's ADWBC Seismic Program in the Northwest Atlantic Ocean, July–August 2004. LGL Report TA2822-27. Prepared by LGL Ltd. environmental research associates, King City, ONT, for Lamont-Doherty Earth Observatory, Columbia University, Palisades, NY, and NMFS, Silver Spring, MD.
- Haley, B. and D. Ireland. 2006. Marine Mammal Monitoring during University of Alaska Fairbanks Marine Geophysical Survey across the Arctic Ocean, August–September 2005. LGL Report TA4122-3. Prepared by LGL Ltd. environmental research associates, King City, ONT, for University of Alaska-Fairbanks, Fairbanks, AK, and NMFS, Silver Spring, MD.

- Halvorsen, M.B., B.M. Casper, C.M. Woodley, T.J. Carlson, and A.N. Popper. 2012. Threshold for onset of injury in chinook salmon from exposure to impulsive pile driving sounds. PLoS ONE 7 (6).
- Harrington, F.H. and A.M. Veitch. 1992. Calving success of woodland caribou exposed to low- level jet fighter overflights. Arctic 45 (3):213-218.
- Harris, C.M. (ed.). 1998. Handbook of Acoustical Measurements and Noise Control. Acoustical Society of America, Woodbury, NY.
- Hassel, A., T. Knutsen, J. Dalen, K. Skaar, S. Lokkeborg, O. Misund, et al. 2004. Influence of seismic shooting on the lesser sandeel (*Ammodytes marinus*). ICES Journal of Marine Science 61 (7):1165-1173.
- Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Technical report for Jones and Stokes to California Department of Transportation.
- Hatch, L.T., C.W. Clark, S.M. Van Parijs, A.S. Frankel, and D.W. Ponirakis. 2012. Quantifying loss of acoustic communication space for right whales in and around a U.S. National Marine Sanctuary. Conserv. Biol. 26(6):983-994.
- Hauser, D., M. Holst, and V.D. Moulton. 2008. Marine Mammal and Sea Turtle Monitoring during Lamont-Doherty Earth Observatory's Marine Seismic Program in the Eastern Tropical Pacific, April–August 2008. LGL Report TA4656/7-1. Prepared by LGL Ltd. environmental research associates, St. John's, NF and King City, ONT, for Lamont Doherty Earth Observatory, Columbia University, Palisades, NY, and NMFS, Silver Spring, MD.
- Hawkins, A.D., A.E. Pembroke, and A.N. Popper. 2014. Information gaps in understanding the effects of noise on fishes and invertebrates. Reviews in Fish Biology and Fisheries: 1-26
- Hazevoet, C.J., V. Monteiro, P. López, N. Varo, G. Torda, S. Berrow, and B. Gravanita. 2010. Recent data on whales and dolphins (Mammalia: Cetacea) from the Cape Verde Islands, including records of four taxa new to the archipelago. *Zoologia Caboverdiana* 1(2):75-99.
- Hazevoet, C.J., B. Gravanita, P. López Suárez, and F.W. Wenzel. 2011. Seasonality of humpback whale *Megaptera novaeangliae* (Borowski, 1781) records in Cape Verde seas: evidence for the occurrence of stocks from both hemispheres. *Zoologia Caboverdiana* 2(1):25-29.
- Hermannsen, L., J. Tougaard, K. Beedholm, J. Nabe-Nielsen, and P.T. Madsen. 2014. High frequency components of ship noise in shallow water with a discussion of implications for harbor porpoises (*Phocoena phocoena*). *J. Acoust. Soc. Am.* 136(4):1640-1653.
- Hermannsen, L., J. Tougaard, K. Beedholm, J. Nabe-Nielsen, and P.T. Madsen. 2015. Characteristics and propagation of airgun pulses in shallow water with implications for effects on small marine mammals. *PLoS ONE* 10 (7):e0133436.
- Hildebrand, JA. 2009. Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology-Progress Series*. 395:5-20.

- Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. Condor 98 (4):850-854.
- Holt M.M., D.P. Noren, V. Veirs, C.K. Emmons, S. Veirs. 2009. Speaking up: Killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise J. Acoust. Soc. Am., 125 (2009), pp. EL27-EL32
- Holt MM, Noren DP, Emmons CK. 2012. Does vessel noise affect the use of sound by foraging *Orcinus orca* (killer whales)? In: Popper AN, Hawkins A (eds). The Effects of Noise on Aquatic Life. Advances in Experimental Medicine and Biology, vol. 730. New York, NY: Springer; 327–330.
- Holst, M. 2004. Marine mammal monitoring during Lamont-Doherty Earth Observatory's TAG seismic study in the Mid-Atlantic Ocean, October–November 2003. LGL Report TA2822-21. Prepared by LGL Ltd. environmental research associates, King City, ONT, for Lamont-Doherty Earth Observatory, Columbia University, Palisades, NY, and NMFS, Silver Spring, MD.
- Holst, M., M.A. Smultea, W.R. Koski, and B. Haley. 2005a. Marine Mammal and Sea Turtle Monitoring during Lamont-Doherty Earth Observatory's Marine Seismic Program off the Northern Yucatán Peninsula in the Southern Gulf of Mexico, January–February 2005. LGL Report TA2822-31. Prepared by LGL Ltd. environmental research associates, King City, ONT, for Lamont-Doherty Earth Observatory, Columbia University, Palisades, NY, and NMFS, Silver Spring, MD. June.
- Holst, M. and M.A. Smultea. 2008. Marine Mammal and Sea Turtle Monitoring during LamontDoherty Earth Observatory's Marine Seismic Program off Central America, February– April 2006. LGL Report TA4342-3. Prepared by LGL Ltd. environmental research associates, King City, ONT, for Lamont-Doherty Earth Observatory, Columbia University, Palisades, NY, and NMFS, Silver Spring, MD.
- Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). Auk 115 (1):76-84.
- Horwood, J. 1987. The sei whale: population biology, ecology, and management. Croom Helm, Beckenham, Kent, UK. 375 p.
- Horwood, J. 2018. Sei whale *Balaenoptera borealis*. p. 845-848 In: B. Würsig, J.G.M. Thewissen, and K.M. Kovacs (eds.), Encyclopedia of Marine Mammals, 3rd Edition. Academic Press/Elsevier, San Diego, CA. 1157 p.
- Houghton, J., M.M. Holt, D.A. Giles, M.B. Hanson, C.K. Emmons, J.T. Hogan, T.A. Branch, and G.R. VanBlaricom. 2015. The relationship between vessel traffic and noise levels received by killer whales (*Orcinus orca*). PLoS ONE 10(12): e0140119.
- Houser, D.S. and P.W. Moore. 2014. Report on the current and future status of underwater hearing research. Report NMMF-001-14, National Marine Mammal Foundation: 46.
- Hu, M., H.Y. Yan, W.S. Chung, J.C. Shiao, and P.P. Hwang. 2009. Acoustical evoked potentials in two cephalopods inferred using the auditory brainstem response (ABR) approach. Comparative Biochemistry and Physiology Part A: Molecular and Integrative Physiology 153:278-283.

ICES (International Council for the Exploration of the Sea). 2005. Report of the ad-hoc group on the impacts of sonar on cetaceans and fish (AGISC). ICES CM 2005/ACE:06. 56 pp.

ISO (International Organization for Standardization). 2003. Acoustics – Description, measurement and assessment of environmental noise – Part 1: Basic quantities and assessment procedures (ISO 1996-1:2003(E)). International Organization for Standardization, Geneva.

IWC. 2024. Population (Abundance) Estimates. Accessed in March 2024 at <https://iwc.int/about-whales/estimate>.

Jann, B., J. Allen, M. Carrillo, S. Hanquet, S.K. Katona, A.R. Martin, R.R. Reeves, R. Seton, P.T. Stevick, and F.W. Wenzel. 2003. Migration of a humpback whale (*Megaptera novaeangliae*) between the Cape Verde Islands and Iceland. *J. Cetac. Res. Manage.* 5:125-129.

Jaquet, N. and D. Gendron. 2002. Distribution and relative abundance of sperm whales in relation to key environmental features, squid landings and the distribution of other cetacean species in the Gulf of California, Mexico. *Mar. Biol.* 141(3):591-601.

Jefferson, T.A., M.A. Webber, and R.L. Pitman. 2015. Marine mammals of the world: a comprehensive guide to their identification, 2nd edit. Academic Press, London, U.K. 608 p.

Jensen, A.S. and G.K. Silber. 2004. Large whale ship strike database. NOAA Technical Memorandum NMFS-OPR-25, National Marine Fisheries Service: 37.

Jensen, F.H., L. Bejder, M. Wahlberg, N. Aguilar Soto, M. Johnson, and P.T. Madsen. 2009. Vessel noise effects on delphinid communication. *Mar. Ecol. Prog. Ser.* 395:161-175.

Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1):161-170.

Johnson, M., P.T. Madsen, W.M.X. Zimmer, N. Aguilar Soto, and P.L. Tyack. 2004. Beaked whales echolocate on prey. *Proceedings of the Royal Society of London Series B Biological Sciences* 271 (Supplement 6):S383-S386.

Johnson, M., P.T. Madsen, W.M.X. Zimmer, N. Aguilar Soto, P.L. Tyack. 2006. Foraging Blainville's beaked whales (*Mesoplodon densirostris*) produce distinct click types matched to different phases of echolocation. *Journal of Experimental Biology* 209:5038- 5050.

Jones, E.L., G.D. Hastie, S. Smout, J. Onoufriou, N.D. Merchant, K.L. Brookes, and D. Thompson. 2017. Seals and shipping: quantifying population risk and individual exposure to vessel noise. *J. Appl. Ecol.* dx.doi.org/doi:10.1111/1365-2664.12911.

Jorgenson, J.K., and E.C. Gyselman. 2009. Hydroacoustic measurements of the behavioral response of arctic riverine fishes to seismic airguns. *Journal of the Acoustical Society of America* 126 (3):1598-1606.

Jungblut, S., D.A. Nachtsheim, K. Boos, and C.R. Joiris. 2017. Biogeography of top predators—seabirds and cetaceans—along four latitudinal transects in the Atlantic Ocean. *Deep Sea Res. Part II:* 141:59-73.

- Kaifu, K., T. Akamatsu, and S. Segawa. 2008. Underwater sound detection by cephalopod statocyst. *Fisheries Science* 74:781-786.
- Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 52 (4):351-371.
- Kastelein, R.A., W.C. Verboom, M. Muijsers, N.V. Jennings, and S. Van der Heul. 2005. The influence of acoustic emissions for underwater data transmission on the behavior of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 59:287-307.
- Kastelein, R.A., N. Jennings, W.C. Verboom, D. de Haan, and N.M. Schooneman. 2006. Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research* 61 (3):363-378.
- Kasuya, T. 1986. Distribution and behavior of Baird's beaked whales off the Pacific coast of Japan. *Sci. Rep. Whales Res. Inst.* 37:61-83.
- Katona, S.K. and J.A. Beard. 1990. Population size, migrations and feeding aggregations of the humpback whale (*Megaptera novaeangliae*) in the western North Atlantic Ocean. *Rep. Int. Whal. Comm. (Spec. Iss. 12)*: 295-306.
- Kenney, R.D. and H.E. Winn. 1987. Cetacean biomass densities near submarine canyons compared to adjacent shelf/slope areas. *Continent. Shelf Res.* 7:107-114.
- Kershaw, F., I. Carvalho, J. Loo, C. Pomilla, P.B. Best, K.P. Findlay, S. Cerchio, T. Collins, M.H. Engel, G. Minton, P. Ersts, J. Barendse, P.G.H. Kotze, Y. Razafindrakoto, S. Ngouessono, M. Meyér, M. Thorton, and H.C. Rosenbaum. 2017. Multiple processes drive genetic structure of humpback whale (*Megaptera novaeangliae*) populations across spatial scales. *Mol. Ecol.* 26(4):977-994.
- Klinck, H., S.L. Nieukirk, D.K. Mellinger, K. Klinck, H. Matsumoto, and R.P. Dziak. 2012. Seasonal presence of cetaceans and ambient noise levels in polar waters of the North Atlantic. *J. Acoust. Soc. Am.* 132(3):EL176-EL181.
- Knowlton, A.R., F.T. Korsmeyer, J.E. Kerwin, H.-Y. Wu, and B. Hynes. 1995. The hydrodynamic effects of large vessels on right whales. National Marine Fisheries Service: 81.
- Knowlton, A.R. and S.D. Kraus. 2001. Mortality and serious injury of northern right whales (*Eubalaena glacialis*) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management Special Issue* 2:193-208.
- Kostyuchenko, L.P. 1973. Effects of elastic waves generated in marine seismic prospecting on fish eggs in the Black Sea. *Hydrobiological Journal* 9 (5):45-48.
- Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* 157:1-41.
- Kryter, K. 1985. The effects of noise on man. Academic Press, Incorporated.

- Kryter, K.D., W.D. Ward, J.D. Miller, and D.H. Eldredge. 1966. Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America* 39:451-464.
- Lillis, Ashlee & Bohnenstiehl, D & B. Eggleston, David. 2014. Soundscape manipulation enhances larval recruitment of a reef-building mollusk. *PeerJ*. 3. 10.7717/peerj.999.
- Pijanowski, B., Villanueva-Rivera, L., Dumyahn, S., Farina, A., Krause, B., Napoletano, B., Pieretti, N. 2011. Soundscape Ecology: The Science of Sound in the Landscape. *BioScience*, 61(3), 203-216. doi:10.1525/bio.2011.61.3.6
- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta. 2001. Collisions between ships and whales. *Marine Mammal Science* 17 (1):35-75.
- Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituting stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78:599-609.
- Lockyer, C.H. and S.G. Brown. 1981. The migration of whales. p. 105-137 In: D.J. Aidley (ed.), *Animal migration*. Soc. Exp. Biol. Sem. Ser. 13, Cambridge University Press, London, U.K.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experience from whale watching impact assessment. *Int. J. Comp. Psych.* 20(2-3):228-236.
- MacGillivray, A.O., R. Racca, and Z. Li. 2014. Marine mammal audibility of selected shallow-water survey sources. *J. Acoust. Soc. Am.* 135(1):EL35-EL40.
- MacLeod, C.D. and E. Bennett. 2007. Pan-tropical spotted dolphins (*Stenella attenuata*) and other cetaceans around St Helena in the tropical south-eastern Atlantic. *J. Mar. Biol. Ass. U.K.* 87(1):339-344.
- Madsen, P. T., Wahlberg, M., Tougaard, J., Lucke, K., and Tyack, P. L. 2006. "Wind turbine underwater noise and marine mammals: Implications of current knowledge and data needs," *Mar. Ecol.: Prog. Ser.* 309,279–295
- Malme, C.I., P.R. Miles, C.W. Clark, P. Tyack, and J.E. Bird. 1984. Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior/Phase II: January 1984 migration. BBN Rep. 5586. Rep. from Bolt Beranek & Newman Inc., Cambridge, MA, for MMS, Alaska OCS Region, Anchorage, AK. NTIS PB86-218377.
- Mannocci, L., J.J. Roberts, D.L. Miller, and P.N. Halpin. 2017. Extrapolating cetacean densities to quantitatively assess human impacts on populations in the high seas. *Conserv. Biol.* 31(3):601–614. Models for all species available at: <http://seamap.env.duke.edu/models/AFTT-2015/>.
- McCauley, R.D., J. Fewtrell, A.J. Duncan, C. Jenner, M.-N. Jenner, J.D. Penrose, R.I.T. Prince, A. Adhitya, J. Murdoch, and K. McCabe. 2000a. Marine seismic surveys: analysis of airgun signals; and effects of air gun exposure on humpback whales, sea turtles, fishes and squid. Rep. from Centre for Marine Science and Technology, Curtin Univ., Perth, W.A., for Austral. Petrol. Prod. Assoc., Sydney, N.S.W. 188 p.

- McCauley, R.D., Fewtrell, J., Duncan, A.J., Jenner, C., Jenner, M.N., Penrose, J.D., PriFnce, R.I.T., Adhitya, A., Murdoch, J. and McCabe, K., 2000b. Marine seismic surveys—a study of environmental implications. *The APPEA Journal*, 40(1), pp.692-708.
- McCauley, R.D., J. Fewtrell, and A.N. Popper. 2003. High intensity anthropogenic sound damages fish ears. *Journal of the Acoustical Society of America* 113 (1):638-642.
- McCauley, Robert & Day, Ryan & Swadling, Kerrie & Fitzgibbon, Quinn & Watson, Reg & Semmens, Jayson. (2017). Widely used marine seismic survey air gun operations negatively impact zooplankton. *Nature Ecology and Evolution*. 1. 10.1038/s41559-017-0195. 0.1186/1746-6148-8-20
- McDonald, M.A., J.A. Hildebrand, and S.C. Webb. 1995. Blue and fin whales observed on a seafloor array in the northeast Pacific. *J. Acoust. Soc. Am.* 98(2, Pt.1):712-721.
- Miller, J.D. 1974. Effects of noise on people. *Journal of the Acoustical Society of America* 56:729-764.
- Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. 2000. Whale songs lengthen in response to sonar. *Nature* 405 (6789): 903.
- Miller, P.J.O., M.P. Johnson, P.T. Madsen, N. Biassoni, M. Quero, and P.L. Tyack. 2009. Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep-Sea Res. I* 56(7):1168-1181.
- Miller, I., and E. Cripps. 2013. Three dimensional marine seismic survey has no measurable effect on species richness or abundance of a coral reef associated fish community. *Marine Pollution Bulletin* 77 (1-2):63-70.
- Mitson, R. B. 1995. Underwater noise of research vessels: review and recommendations. ICES Cooperative Research Reports (CRR). Report.
- Moberg GP. 1987. Problems in defining stress and distress in animals. *J Am Vet Med Assoc.* 191(10):1207–1211. [PubMed]
- Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Mooney, T.A., R.T. Hanlon, J. Christensen-Dalsgaard, P.T. Madsen, D. Ketten, and P.E. Nachtigall. 2010. Sound detection by the longfin squid (*Loligo pealeii*) studied with auditory evoked potentials: Sensitivity to low-frequency particle motion and not pressure. *Journal of Experimental Biology* 213:3748-3759.
- Morton, A. B., and Symonds, H. K. 2002. Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES Journal of Marine Science: Journal du Conseil*, 59: 71–80.
- Nachtigall, P.E. and A.Y. Supin. 2013. A false killer whale reduces its hearing sensitivity when a loud sound is preceded by a warning. *J. Exp. Biol.* 216:3062-3070.

- Nachtigall, P.E., A.Y. Supin, A.F. Pacini, and R.A. Kastelein. 2018. Four odontocete species change hearing levels when warned of impending loud sound. *Integrative Zoology* 13 (2): 160-165.
- Ng S.L, Leung S (2003) Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Mar Environ Res* 56:555-567
- Nieuirkirk, S.L., D.K. Mellinger, S.E. Moore, K. Klinck, R.P. Dziak, and J. Goslin. 2012. Sounds from airguns and fin whales recorded in the mid-Atlantic Ocean, 1999–2009. *J. Acoust. Soc. Am.* 131(2):1102-1112.
- NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.
- NMFS. 2007. Conservation plan for the Eastern Pacific stock of northern fur seal (*Callorhinus ursinus*). National Marine Fisheries Service, Juneau, AK. 137 p.
- NMFS. 2016a. Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing: underwater acoustic thresholds for onset of permanent and temporary threshold shifts. U.S. Depart. Commerce, National Oceanic and Atmospheric Administration. 178 p.
- NMFS. 2016b. Endangered and threatened species; identification of 14 distinct population segments of the humpback whale (*Megaptera novaeangliae*) and revision of species-wide listing. Final Rule. Fed. Reg. 81(174, 8 Sept.):62260-62320.
- NMFS. 2018. 2018 revision to: technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (version 2.0). Underwater thresholds for onset of permanent and temporary threshold shifts. Office of Protected Resources Nat. Mar. Fish. Serv., Silver Spring, MD. 167 p.
- Nowacek, D.P., M.P. Johnson, and P.L. Tyack. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B: Biological Sciences* 271(1536):227-231.
- Nowacek, D.P., L.H. Thorne, D.W. Johnston, and P.L. Tyack. 2007. Responses of cetaceans to anthropogenic noise. *Mamm. Rev.* 37(2):81-115.
- NRC (National Research Council). 2003. *Ocean Noise and Marine Mammals*. Washington, DC: The National Academies Press.
- NRC (National Research Council). 2005. Marine mammal populations and ocean noise/Determining when noise causes biologically significant effects. U.S. Nat. Res. Counc., Ocean Studies Board, Committee on characterizing biologically significant marine mammal behavior (Wartzok, D.W., J. Altmann, W. Au, K. Ralls, A. Starfield, and P.L. Tyack). Nat. Acad. Press, Washington, DC. 126 p.
- NSF and USGS (National Science Foundation and U.S. Geological Survey). 2011. Final programmatic environmental impact statement/Overseas environmental impact statement for marine seismic

research funded by the National Science Foundation or conducted by the U.S. Geological Survey.

OBIS (Ocean Biogeographic Information System). 2024. Data from the Ocean Biogeographic Information System. Intergovernmental Oceanographic Commission of UNESCO. Accessed April 2024 at <http://www.iobis.org>.

Odell, D.K., Asper, E., Baucom, J., and Cornell, L., 1980, A recurrent mass stranding of false killer whales, *Pseudorca crassidens*, in Florida, Fish. Bull., 78: 171-177.

Olsen, E., P. Budgell, E. Head, L. Kleivane L. Nottestad, R. Prieto, M. Silva, H. Skov, G. Vikingsson, G. Waring, and N. Øien. 2009. First satellite-tracked long-distance movement of a sei whale (*Balaenoptera borealis*) in the North Atlantic. Aquatic Mamm. 35(3):313-318

Pace, R.M. and G.K. Silber. 2005. Simple analyses of ship and large whale collisions: Does speed kill? Paper presented at the Sixteenth Biennial Conference on the Biology of Marine Mammals, San Diego, California. Pages 215-216 in Proceedings of the Sixteenth Biennial Conference on the Biology of Marine Mammals.

Pacini, A.F., P.E. Nachtigall, C.T. Quintos, T.D. Schofield, D.A. Look, G.A. Levine, and J.P. Turner. 2011. Audiogram of a stranded Blainville's beaked whale (*Mesoplodon densirostris*) measured using auditory evoked potentials. Journal of Experimental Biology 214 (14):2409-2415.

Palka, D.L., S. Chavez-Rosales, E. Josephson, D. Cholewiak, H.L. Haas, L. Garrison, M. Jones, D. Sigourney, G. Waring (retired), M. Jech, E. Broughton, M. Soldevilla, G. Davis, A. DeAngelis, C.R. Sasso, M.W. Winton, R.J. Smolowitz, G. Fay, E. LaBrecque, J.B. Leiness, M. Warden, K. Murray, and C. Orphanides. 2017. Atlantic Marine Assessment Program for Protected Species: 2010-2014. US Dept. of the Interior, Bureau of Ocean Energy Management, Atlantic OCS Region, Washington, DC. OCS Study BOEM 2017-071. 211 p.

Parks, S.E., Clark, C.W., and Tyack, P.L. 2007. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. J. Acoust. Soc. Am. 122, 3725.

Paxton, A.B., J.C. Taylor, D.P. Nowacek, J. Dale, E. Cole, C.M. Voss, and C.H. Peterson. 2017. Seismic survey noise disrupted fish use of a temperate reef. Mar. Policy 78:68-73.

Payne, J.F. 2004. Potential effect of seismic surveys on fish eggs, larvae and zooplankton. Research Document 2004/125, Fisheries and Oceans Canada: 16.

Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastodes spp.*). Canadian Journal of Fisheries and Aquatic Sciences 49: 1343-1356.

Pearson, W., J. Skalski, S. Sulkin, and C. Malme. 1994. Effects of seismic energy releases on the survival and development of zoeal larvae of Dungeness crab (*Cancer magister*). Mar. Env. Res. 38:93-113.

- Peña, H., N.O. Handegard, and E. Ona. 2013. Feeding herring schools do not react to seismic air gun surveys. *ICES J. Mar. Sci.* 70(6):1174-1180.
- Perrin, W.F., S.D. Mallette, and R.L. Brownell Jr. 2018. Minke whales *Balaenoptera acutorostrata* and *B. bonaerensis*. p. 608-613 In: B. Würsig, J.G.M. Thewissen, and K.M. Kovacs (eds.), *Encyclopedia of Marine Mammals*, 3<sup>rd</sup> Edition. Academic Press/Elsevier, San Diego, CA. 1157 p.
- Perrin, W. F., & Geraci, J. R. 2002. Stranding. In W. F. Perrin, B. Wursig & J. G. M. Thewissen (Eds.), *Encyclopedia of Marine Mammals* (pp. 1192-1197). San Diego: Academic Press.
- Pirotta, E., N.D. Merchant, P.M. Thompson, T.R. Barton, and D. Lusseau. 2015. Quantifying the effect of boat disturbance on bottlenose dolphin foraging activity. *Biol. Conserv.* 181:82–98.
- Pomilla, C. and H.C. Rosenbaum. 2005. Against the current: an inter-oceanic whale migration event. *Biol. Lett.* 1(4):476-479.
- Popper, A.N., M.E. Smith, P.A. Cott, B.W. Hanna, A.O. MacGillivray, M.E. Austin, and D.A. Mann. 2005. Effects of exposure to seismic airgun use on hearing of three fish species. *Journal of the Acoustical Society of America* 117 (6):3958.
- Prieto, R., M.A. Silva, I. Cascão, M.J. Cruz, C.I.B. Oliveira, G. Waring, and J. Gonçalves. 2010. The importance of oceanic fronts in the Labrador Sea to North Atlantic sei whales (*Balaenoptera borealis*). Clues from satellite telemetry. *Proc. Arctic Frontiers Conf.*, Trømso, Norway, 24–29 January 2010.
- Prieto, R., M.A. Silva, G. Waring, and J. Gonçalves. 2014. Sei whale movements and behaviour in the North Atlantic inferred from satellite telemetry. *Endang. Species Res.* 26(2):103-113.
- Purser J. and Radford A.N. 2011. Acoustic Noise Induces Attention Shifts and Reduces Foraging Performance in Three-Spined Sticklebacks (*Gasterosteus aculeatus*). *PLoS ONE* 6(2): e17478.
- Putland, R.L., N.D. Merchant, A. Farcas, and C.A. Radford. 2017. Vessel noise cuts down communication space for vocalizing fish and marine mammals. *Glob. Change Biol.*
- Reilly, S.B. and V.G. Thayer. 1990. Blue whale (*Balaenoptera musculus*) distribution in the eastern tropical Pacific. *Mar. Mamm. Sci.* 6(4):265-277.
- Reiner, F., M.E.D. Santos, F.W. Wenzel, and A. Whale. 1996. Cetaceans of the Cape Verde archipelago. *Mar. Mamm. Sci.* 12(3):434-443.
- Relyea RA. 2005a. The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities. *Ecol. Appl.* 15(2): 618–627.
- Relyea RA. 2005b. The lethal impact of Roundup on aquatic and terrestrial amphibians. *Ecol. Appl.* 15(4): 1118–1124.
- Rice, A.N., J.T. Tielens, B.J. Estabrook, C.A. Muirhead, A. Rahaman, M. Guerra, and C.W. Clark. 2014. Variation of ocean acoustic environments along the western North Atlantic coast: a case study in context of the right whale migration route. *Ecol. Inform.* 21:89-99.

- Rice, D.W. 1998. Marine mammals of the world, systematics and distribution. Spec. Publ. 4. Soc. Mar. Mammal., Allen Press, Lawrence, KS. 231 p.
- Richardson, W.J., C.R. Greene, Jr., C.I. Malme, and D.H. Thomson. 1995. Marine mammals and noise. Academic Press, San Diego. 576 p.
- Richardson, A.J., R.J. Matear, and A. Lenton. 2017. Potential impacts on zooplankton of seismic surveys. Commonwealth Scientific and Industrial Research Organisation, Australia: 34.
- Ridgway, S., D. Carder, J. Finneran, M. Keogh, T. Kamolnick, M. Todd, and A. Goldblatt. 2006. Dolphin continuous auditory vigilance for five days. Journal of Experimental Biology 209 (18):3621-3628.
- Ridgway, S.H.; Carter, D.A.; Smith, R.R.; Kamolnick, T.; Schlundt, C.E. 1997. *Behavioral Responses and Temporary Shift in Masked Hearing Threshold of Bottlenose Dolphins, Tursiops truncatus, to 1-Second Tones of 141 to 201 dB re 1 µPa*; Naval Command, Control, and Ocean Surveillance Center, RDT&E Division: San Diego, CA, USA.
- Risch, D., Siebert, U., & Van Parijs, S. (2014). Individual calling behaviour and movements of North Atlantic minke whales (*Balaenoptera acutorostrata*), Behaviour, 151(9), 1335-1360.
- Roberts JJ, Yack TM, Halpin PN (2023) Marine mammal density models for the U.S. Navy Atlantic Fleet Training and Testing (AFTT) study area for the Phase IV Navy Marine Species Density Database (NMSDD). Document version 1.3. Report prepared for Naval Facilities Engineering Systems Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, North Carolina.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, S.K. Water, and S.D. Kraus. 2012. Evidence that ship noise increases stress in right whales. Proc. R. Soc. B 279:2363-2368.
- Romano, T., M. Keogh, and K. Danil. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.
- Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002b. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. Molecular and Cell Biology of Marine Mammals. Krieger Publishing Co., Malabar, Florida.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. Canadian Journal of Fisheries and Aquatic Sciences 61:1124- 1134.
- Romero, L.M. (2004) Physiological stress in ecology: lessons from biomedical research. Trends in Ecology and Evolution, 19, 249–255.
- Rosenbaum, H.C., C. Pomilla, M. Mendez, M.S. Leslie, P.B. Best, K.P. Findlay, G. Minton, P.J. Ersts, T. Collins, M.H. Engel, S.L. Bonatto, D.P.G.H. Kotze, M. Meijer, J. Barendse, M. Thornton, Y.

- Razafindrakoto, S. Nguessono, M. Vely, and J. Kiszka. 2009. Population structure of humpback whales from their breeding grounds in the South Atlantic and Indian oceans. PLoS ONE 4(10):e7318.
- Rosenbaum, H.C., S.M. Maxwell, F. Kershaw, and B. Mate. 2014. Long-range movement of humpback whales and their overlap with anthropogenic activity in the South Atlantic Ocean. Conserv. Biol. 28(2):604-615.
- Sætre, R., and E. Ona. 1996. Seismic investigations and damage to fish eggs and larvae: an assessment of possible stock-level effects. Norwegian Institute of Marine Research. Fisken og Havet Nr. 8. (Norwegian with English summary.)
- Samba Bilal, A., W.M. Wagne, A. Wagué, A. Dia, and K. Van Waerebeek. 2023. The Cetaceans of Mauritania, West Africa: a concise zoogeographical review with two new species records. J. Animal Div. 5(1):1-35.
- Samson, J.E., T.A. Mooney, S.W. Gussekloo, and R.T. Hanlon. 2014. Graded behavioral responses and habituation to sound in the common cuttlefish *Sepia officinalis*. Journal of Experimental Biology 217 (Pt 24):4347-4355.
- Santulli, A., A. Modica, C. Messina, L. Ceffa, A. Curatolo, G. Rivas, et al. 1999. Biochemical responses of European sea bass (*Dicentrarchus labrax* L.) to the stress induced by offshore experimental seismic prospecting. Marine Pollution Bulletin 38 (12):1105-1114
- Sciacca, V., S. Viola, S. Pulvirenti, G. Riccobene, F. Caruso, E. De Domenico, and G. Pavan. 2016. Shipping noise and seismic airgun surveys in the Ionian Sea: potential impact on Mediterranean fin whale. Proceedings of Meetings on Acoustics 4ENAL 27(1):040010.
- Seakamela, S.M., K. Findlay, M. Meyer, S. Kirkman, K. Venter, B. Mdokwana, M. Tsanwani, F. Shabangu, C. Wilke, H. Ismail, and D. Kotze. 2015. Report of the 2014 cetacean distribution and abundance survey off South Africa's west coast. Report SC/66a/SH/30 presented to the International Whaling Commission.
- Seyle, H. 1950. Stress and the general adaptation syndrome. British Medical Journal June 17:1383-1392.
- Shirshov Institute. n.d. The census of marine life project: South Atlantic MAR ECO. Cruise #1\_2009 R/V *Akademik Ioffe*, 25 October-29 November 2009. Academy of Sciences, Shirshov Institute, Russia. 10 p. Accessed in April 2019 at [http://www.mar-eco.no/sci/\\_data/page/992/SA\\_MAR-ECO\\_Cruise\\_1-2009\\_Summary\\_Report.pdf](http://www.mar-eco.no/sci/_data/page/992/SA_MAR-ECO_Cruise_1-2009_Summary_Report.pdf).
- Sih, A., A.M. Bell, and J.L. Kerby. 2004. Two stressors are far deadlier than one. Trends in Ecology and Evolution 19 (6):274-276.
- Silber, G.K., J. Slutsky, and S. Bettridge. 2010. Hydrodynamics of a ship/whale collision. Journal of Experimental Marine Biology and Ecology 391 (1-2):10-19.
- Sills, J.M., B.L. Southall, and C. Reichmuth. 2017. The influence of temporally varying noise from seismic air guns on the detection of underwater sounds by seals. J. Acoust. Soc. Am. 141(2):996-1008.

- Simard, Y., F. Samaran, and N. Roy. 2005. Measurement of whale and seismic sounds in the Scotian Gully and adjacent canyons in July 2003. p. 97-115 In: K. Lee, H. Bain, and C.V. Hurley (eds.), Acoustic monitoring and marine mammal surveys in The Gully and outer Scotian Shelf before and during active seismic surveys. Environ. Stud. Res. Funds Rep. 151. 154 p. (Published 2007).
- SIO and NSF (Scripps Institute of Oceanography and National Science Foundation). 2006b. Environmental Assessment of a Planned Low-Energy Marine Seismic Survey by the Scripps Institution of Oceanography in the Northeast Indian Ocean, MayJuly 2007. LGL Report TA4410-1. Prepared by LGL Ltd. environmental research associates, King City, ONT. 21 December.
- Skalski, J.R., W.H. Pearson, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). Canadian Journal of Fisheries and Aquatic Sciences 49: 1357-1365.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P. Palsbøll, J. Sigurjónsson, P.T. Stevick and N. Øien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). Mar. Mamm. Sci. 15(1):1-32.
- Smultea, M.A. and M. Holst. 2003. Marine mammal monitoring during Lamont-Doherty Earth Observatory's seismic study in the Hess Deep area of the Eastern Equatorial Tropical Pacific, July 2003. LGL Report TA2822-16. Prepared by LGL Ltd. environmental research associates, King City, ONT, for L-DEO, Columbia University, Palisades, NY, and NMFS, Silver Spring, MD.
- Smultea, M.A., M. Holst, W.R. Koski, and S. Stoltz. 2004. Marine mammal monitoring during Lamont-Doherty Earth Observatory's seismic program in the Southeast Caribbean Sea and adjacent Atlantic Ocean, April-June 2004. LGL Report TA2822-26. Prepared by LGL Ltd. environmental research associates, King City, ONT, for L-DEO, Columbia University, Palisades, NY, and NMFS, Silver Spring, MD.
- Solé, M., M. Lenoir, M. Durfort, M. López-Bejar, A. Lombarte, M. van der Schaaer, and M. André. 2013a. Does exposure to noise from human activities compromise sensory information from cephalopod statocysts? Deep-Sea Res. II 95:160-181.
- Solé, M., M. Lenoir, M. Durfort, M. López-Bejar, A. Lombarte, and M. André. 2013b. Ultrastructural damage of *Loligo vulgaris* and *Illex coindetii* statocysts after low frequency sound exposure. PLoS One 8(10):e78825.
- Song, J., D.A. Mann, P.A. Cott, B.W. Hanna, and A.N. Popper. 2008. The inner ears of northern Canadian freshwater fishes following exposure to seismic air gun sounds. Journal of the Acoustical Society of America 124 (2):1360-1366.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, Jr., D. Kastak, D.R. Ketten, J.H. Miller, P.E. Nachtigall, W.J. Richardson, J.A. Thomas, and P.L. Tyack. 2007.

- Marine mammal noise exposure criteria: initial scientific recommendations. *Aquat. Mamm.* 33(4):411-522.
- Southall, B.L., T. Rowles, F. Gulland, R.W. Baird, and P.D. Jepson. 2013. Final report of the Independent Scientific Review Panel investigating potential contributing factors to a 2008 mass stranding of melon-headed whales (*Peponocephala electra*) in Antsohihy, Madagascar. Independent Scientific Review Panel: 75.
- Southall, B. L., Finneran, J. J., Reichmuth, C., Nachtigall, P. E., Ketten, D. R., Bowles, A. E., Ellison, W. T., Nowacek, D. P., and Tyack, P.L 2019. Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals* 45, 125-232.
- Stanley, J.A., C.A. Radford, and A.G. Jeffs. 2011. Behavioural response thresholds in New Zealand crab megalopae to ambient underwater sound. *PLoS ONE* 6(12):e28572.
- Stevick, P.T., M.C. Neves, F. Johansen, M.H. Engel, J. Allen, M.C.C. Marcondes, and C. Carlson. 2011. A quarter of a world away: female humpback whale moves 10,000 km between breeding areas. *Biol. Lett.* 7(2):299-302.
- Stewart, B.S. and S. Leatherwood. 1985. Minke whale *Balaenoptera acutorostrata* Lacépède, 1804. p. 91-136 In: S.H. Ridgway and R. Harrison (eds.), *Handbook of marine mammals*, Vol. 3: The sirenians and baleen whales. Academic Press, London, UK. 362 p.
- Stone, G.S., L. Cavagnaro, A. Hutt, S. Kraus, K. Baldwin, and J. Brown. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. New Zealand Department of Conservation: 28.
- Stone, C.J. 2015. Marine mammal observations during seismic surveys from 1994–2010. JNCC Rep. No. 463a. 64 p.
- Streever, B., S.W. Raborn, K.H. Kim, A.D. Hawkins, and A.N. Popper. 2016. Changes in fish catch rates in the presence of air gun sounds in Prudhoe Bay, Alaska. *Arctic [Suppl. 1]* 69(4):346–358.
- Tal, D., H. Shachar-Bener, D. Hershkovitz, Y. Arieli, and A. Shupak. 2015. Evidence for the initiation of decompression sickness by exposure to intense underwater sound. *Journal of Neurophysiology* 114 (3):1521-1529
- Tashmukhambetov, A.M., G.E. Ioup, J.W. Ioup, N.A. Sidorovskaia, and J.J. Newcomb. 2008. Three-dimensional seismic array characterization study: Experiment and modeling. *Journal of the Acoustical Society of America* 123 (6):4094-4108.
- Teilmann J, Tougaard J, Miller LA, Kirketerp T, Hansen K, Brando S. 2006. Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Mar Mamm Sci* 22(2):240–260.
- Thode, A.M., K.H. Kim, S.B. Blackwell, C.R. Greene, Jr., C.S. Nations, T.L. McDonald, and A.M. Macrander. 2012. Automated detection and localization of bowhead whale sounds in the presence of seismic airgun surveys. *J. Acoust. Soc. Am.* 131(5):3726-3747.
- Thomisch, K. 2017. Distribution patterns and migratory behavior of Antarctic blue whales. Reports on Polar and Marine Research. Alfred Wegener Institute.

- Tolstoy, M., J. Diebold, L. Doermann, S. Nooner, S.C. Webb, D.R. Bohnenstiehl, et al. 2009. Broadband calibration of the R/V Marcus G. Langseth four-string seismic sources. *Geochemistry Geophysics Geosystems* 10 (8).
- Tulp, I. and M.F. Leopold. 2004. Marine mammals and seabirds in Mauitanian waters – pilot study April 2004. Report by RIVO-Netherlands Institute for Fisheries Research, Wageningen UR, and Alterra.
- Urick, R.J. 1983. *Principles of Underwater Sound*. 3rd Edition, McGraw-Hill, New York.
- US Navy. 2017. Marine mammal strandings associated with U.S. Navy sonar activities. Space and Naval Warfare Systems Center Pacific, San Diego: 47.
- Vanderlaan, A.S. and C.T. Taggart. 2007. Vessel collisions with whales: The probability of lethal injury based on vessel speed. *Marine Mammal Science* 23 (1):144-156.
- Van Waerebeek, K., A. Djiba, J.-O. Krakstad, A.S.O. Bilal, I.L. Bamby, A. Almeida, and E.M. Mbye. 2013. New evidence for a South Atlantic stock of humpback whales wintering on the northwest African Continental Shelf. *African Zool.* 48(1):177-186.
- Van Waerebeek, K., S. Tchibozo, J. Montcho, G. Nobime, Z. Sohour, P. Sehourhoue, and C. Dossou. 2001. The Bight of Benin, a North Atlantic breeding ground of a Southern Hemisphere humpback whale population, likely related to Gabon and Angola substocks. Submitted to the Sci. Comm. of the IWC, London, July 2011.
- Van Waerebeek, K. 2002. Whale and Dolphin watching Benin: 2002 Humpback Whale Survey. Report to Netherlands Committee for IUCN, small grants programme for Benin (NC-IUCN/SGPB-2). 13pp.
- Van Waerebeek, K., R. Leaper, A.N. Baker, V. Papastavrou, D. Thiele, K. Findlay, G. Donovan, and P. Ensor. 2010. Odontocetes of the Southern Ocean Sanctuary. *J. Cetacean Res. Manage.* 11(3):315-3346.
- Vikingsson, G.A. and M.P. Heide-Jørgensen. 2015. First indications of autumn migration routes and destination of common minke whales tracked by satellite in the North Atlantic during 2001–2011. *Mar. Mamm. Sci.* 31(1):376-385.
- Ward, W. D. 1997. Effects of high-intensity sound. In M. J. Crocker (Ed.), *Encyclopedia of acoustics*, Volume III (pp. 1497-1507). New York: John Wiley & Sons.
- Wardle, C.S., T.J. Carter, G.G. Urquhart, A.D.F. Johnstone, A.M. Ziolkowski, G. Hampson, and D. Mackie. 2001. Effects of seismic air guns on marine fish. *Continental Shelf Research* 21:1005-1027.
- Waring G.T., L. Nøttestad, E. Olsen, H. Skov, and G. Vikingsson. 2008. Distribution and density estimates of cetaceans along the mid-Atlantic Ridge during summer 2004. *J. Cetacean Res. Manage.* 10:137-146.
- Wartzok, D., and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds III and S.A. Rommel, eds. *Biology of Marine Mammals*. Washington, D.C.: Smithsonian Institution Press.

- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37 (4):6-15.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *Int. J. Comp. Psychol.* 20:159-168.
- Weir, C. R. 2011. Distribution and seasonality of cetaceans in tropical waters between Angola and the Gulf of Guinea. *Afr. J. Mar. Sci.* 33(1):1-15.
- Weir, C.R. 2019. The cetaceans (whales and dolphins) of Angola. p 445-549 In: B.J. Huntley, V. Russo. F. Lages, and N. Ferrand (eds.) *Biodiversity of Angola. Science and Conservation: A modern synthesis.* Springer Open.
- Weir, C.R., C.D. MacLeod, and G.J. Pierce. 2012. Habitat preferences and evidence for niche partitioning amongst cetaceans in the waters between Gabon and Angola, eastern tropical Atlantic. *J. Mar. Biol. Assoc. U.K.* 92(8):1735-1749.
- Wenzel, F.W., J. Allen, S. Berrow, C.J. Hazevoet, B. Jann, R. E. Seton, L. Steiner, P. Stevick, P. López Suárez, and P. Whooley. 2009. Current knowledge on the distribution and relative abundance of humpback whales (*Megaptera novaeangliae*) off the Cape Verde Islands, eastern North Atlantic. *Aquatic Mamm.* 35(4):502-510.
- Wenzel, F.W., F. Broms, P. López-Suárez, K. Lopes, N. Veiga, K. Yeoman, M.S.D. Rodrigues, J. Allen, T.W. Fernald, P.T. Stevick, and L. Jones. 2020. Humpback whales (*Megaptera novaeangliae*) in the Cape Verde Islands: Migratory patterns, resightings, and Abundance. *Aquatic Mamm.* 46(1):21-31.
- Whitehead, H. 2018. Sperm whale *Physeter macrocephalus*. p. 919-925 In: B. Würsig, J.G.M. Thewissen, and K.M. Kovacs (eds.), *Encyclopedia of Marine Mammals*, 3rd Edition. Academic Press/Elsevier, San Diego, CA. 1157 p.
- Wittekind, D., J. Tougaard, P. Stilz, M. Dähne, K. Lucke, C.W. Clark, S. von Benda-Beckmann, M. Ainslie, and U. Siebert. 2016. Development of a model to assess masking potential for marine mammals by the use of airguns in Antarctic waters. p. 1243-1249 In: A.N. Popper and A. Hawkins (eds.), *The effects of noise on aquatic life II*. Springer, New York, NY. 1292 p.
- Würsig, B., S.K. Lynn, T.A. Jefferson, and K.D. Mullin. 1998. Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft. *Aquat. Mamm.* 24(1):41-50.
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134 (1-3):93-106.
- Yelverton, J.T., Richmond, D.R., Fletcher, E.R. and Jones, R.K., 1973. Safe distances from underwater explosions for mammals and birds. Lovelace Foundation For Medical Education and Research, Albuquerque, NM.

Yochem, P.K. and S. Leatherwood. 1985. Blue whale. p. 193-240 In: S.H. Ridgway and R. Harrison (eds.), *Handbook of marine mammals*, Vol. 3: The sirenians and baleen whales. Academic Press, New York, NY. 362 p.

Yoder, J.A. 2002. Declaration of James A. Yoder in opposition to plaintiff's motion for temporary restraining order, 28 October 2002. Civ. No. 02-05065-JL. U.S. District Court, Northern District of California, San Francisco Division.

Zimmer, W.M.X., M.P. Johnson, P.T. Madsen, and P.L. Tyack. 2005. Echolocation clicks of free-ranging Cuvier's beaked whales (*Ziphius cavirostris*). *Journal of the Acoustical Society of America* 117 (6):3919-3927.

Zimmer, W.M.X. and P.L. Tyack. 2007. Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science* 23 (4):888-925.